

# **vertina** TOTAL SECURITY SOLUTION



EMPOWERED BY INNOVATION



 <b>VHC-4280</b>	 <b>VHC-2282</b>	 <b>VHC-5540</b>	 <b>VHC-5530</b>
<b>FULL HD 1080p 30X IR Speed Dome Camera</b>	<b>FULL HD 1080p 25X IR Speed Dome Camera</b>	<b>5MP IR Fisheye Camera</b>	<b>5MP Motorize Vari-Focal EXIR Bullet Camera</b>
<ul style="list-style-type: none"> <li>» Effective Pixels : 1920 (H) x 1080 (V)</li> <li>» Lens : 30x Power Zoom ( 4 - 120 mm )</li> <li>» Frame Rate : PAL 1080p @ 25fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 120m Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 1920 (H) x 1080 (V)</li> <li>» Lens : 25x Power Zoom ( 4 - 92 mm )</li> <li>» Frame Rate : PAL 1080p @ 25fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 150m Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 2592 (H) x 1944 (V)</li> <li>» Lens : 1.1 mm Fisheye lens, angle of view: 360°</li> <li>» Frame Rate : PAL 2592 x 1944 @ 20fps</li> <li>» IR Range : Up to 20m , SMART IR</li> <li>» Built-in microphone</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 2592 (H) x 1944 (V)</li> <li>» Lens : Full Motorize 2.8-12mm @ F1.4</li> <li>» Frame Rate : PAL 2592 x 1944 @ 20fps</li> <li>» True Day/Night, ICR</li> <li>» IR Range : Up to 40m , Smart EXIR</li> <li>» 3D-DNR, BLC, EIS, OSD, IP-66</li> </ul>

 <b>VHC-5522</b>	 <b>VHC-5521</b>	 <b>VHC-5520</b>	 <b>VHC-5570</b>
<b>5MP Fixed Lens EXIR Bullet Camera</b>	<b>5MP Fixed Lens EXIR Bullet Camera</b>	<b>5MP Fixed Lens EXIR Bullet Camera</b>	<b>5MP Motorize Vari-Focal EXIR Eyeball Camera</b>
<ul style="list-style-type: none"> <li>» Effective Pixels : 2592 (H) x 1944 (V)</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Frame Rate : PAL 2592 x 1944 @ 20fps</li> <li>» True Day/Night, ICR</li> <li>» IR Range : Up to 80m , Smart EXIR</li> <li>» 3D-DNR, BLC, EIS, OSD, IP-66</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 2592 (H) x 1944 (V)</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Frame Rate : PAL 2592 x 1944 @ 20fps</li> <li>» True Day/Night, ICR</li> <li>» IR Range : Up to 40m , Smart EXIR</li> <li>» 3D-DNR, BLC, EIS, OSD, IP-66</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 2592 (H) x 1944 (V)</li> <li>» Lens : 3.6mm (2.8mm, 6mm, 12mm optional)</li> <li>» Frame Rate : PAL 2592 x 1944 @ 20fps</li> <li>» True Day/Night, ICR</li> <li>» IR Range : Up to 20m , Smart EXIR</li> <li>» 3D-DNR, BLC, EIS, OSD, IP-66</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 2592 (H) x 1944 (V)</li> <li>» Lens : Full Motorize 2.8-12mm @ F1.4</li> <li>» Frame Rate : PAL 2592 x 1944 @ 20fps</li> <li>» True Day/Night, ICR</li> <li>» IR Range : Up to 40m , Smart EXIR</li> <li>» 3D-DNR, BLC, EIS, OSD, IP-66</li> </ul>

 <b>VHC-5560</b>	 <b>VHC-3523</b>	 <b>VHC-3521</b>	 <b>VHC-3520</b>
<b>5MP Fixed Lens EXIR Eyeball Camera</b>	<b>5MP Fixed Lens EXIR Bullet Camera</b>	<b>5MP Fixed Lens EXIR Bullet Camera</b>	<b>5MP Fixed Lens EXIR Bullet Camera</b>
<ul style="list-style-type: none"> <li>» Effective Pixels : 2592 (H) x 1944 (V)</li> <li>» Lens : 3.6mm (2.8mm, 6mm, 12mm optional)</li> <li>» Frame Rate : PAL 2592 x 1944 @ 20fps</li> <li>» True Day/Night, ICR</li> <li>» IR Range : Up to 20m , Smart EXIR</li> <li>» 3D-DNR, BLC, EIS, OSD, IP-66</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 2592 (H) x 1944 (V)</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Frame Rate : PAL 2592 x 1944 @ 20fps</li> <li>» True Day/Night, ICR, DWDR</li> <li>» IR Range : Up to 80m , Smart EXIR</li> <li>» 3D-DNR, BLC, EIS, OSD, IP-67</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 2592 (H) x 1944 (V)</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Frame Rate : PAL 2592 x 1944 @ 20fps</li> <li>» True Day/Night, ICR, DWDR</li> <li>» IR Range : Up to 40m , Smart EXIR</li> <li>» 3D-DNR, BLC, EIS, OSD, IP-67</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 2592 (H) x 1944 (V)</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Frame Rate : PAL 2592 x 1944 @ 20fps</li> <li>» True Day/Night, ICR, DWDR</li> <li>» IR Range : Up to 20m , Smart EXIR</li> <li>» 3D-DNR, BLC, EIS, OSD, IP-67</li> </ul>

 <b>VHC-3560</b>	 <b>VHC-6330</b>	 <b>VHC-6320</b>	 <b>VHC-3322</b>
<b>5MP Fixed Lens EXIR Eyeball Camera</b>	<b>3MP Motorize Vari-Focal EXIR Bullet Camera</b>	<b>3MP Fixed Lens WDR EXIR Bullet Camera</b>	<b>3MP Fixed Lens EXIR Bullet Camera</b>
<ul style="list-style-type: none"> <li>» Effective Pixels : 2592 (H) x 1944 (V)</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Frame Rate : PAL 2592 x 1944 @ 20fps</li> <li>» True Day/Night, ICR, DWDR</li> <li>» IR Range : Up to 20m , Smart EXIR</li> <li>» 3D-DNR, BLC, EIS, OSD, IP-67</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 1920 (H) x 1536 (V)</li> <li>» Lens : Full Motorize 2.8-12mm @ F1.4</li> <li>» Frame Rate : PAL 1920 x 1536 @ 18fps</li> <li>» Wide Dynamic Range (WDR)</li> <li>» IR Range : Up to 40m , Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 1920 (H) x 1536 (V)</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Frame Rate : PAL 1920 x 1536 @ 18fps</li> <li>» Wide Dynamic Range ( WDR )</li> <li>» IR Range : Up to 40m Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 1920 (H) x 1536 (V)</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Frame Rate : PAL 1920 x 1536 @ 18fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 80m Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>

 <b>VHC-3321</b>	 <b>VHC-3320</b>	 <b>VHC-6370</b>	 <b>VHC-3360</b>
<b>3MP Fixed Lens EXIR Bullet Camera</b>	<b>3MP Fixed Lens EXIR Bullet Camera</b>	<b>3MP Motorize Vari-Focal EXIR Eyeball Camera</b>	<b>3MP Fixed Lens EXIR Eyeball Camera</b>
<ul style="list-style-type: none"> <li>» Effective Pixels : 1920 (H) x 1536 (V)</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Frame Rate : PAL 1920 x 1536 @ 18fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 40m Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 1920 (H) x 1536(V)</li> <li>» Lens : 3.6mm (2.8mm,6mm,12mm optional)</li> <li>» Frame Rate : PAL 1920 x 1536 @ 18fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 20m Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 1920 (H) x 1536 (V)</li> <li>» Lens : Full Motorize 2.8-12mm @ F1.4</li> <li>» Frame Rate : PAL 1920 x 1536 @ 18fps</li> <li>» Wide Dynamic Range ( WDR )</li> <li>» IR Range : Up to 40m , Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<ul style="list-style-type: none"> <li>» Effective Pixels : 1920 (H) x 1536(V)</li> <li>» Lens : 3.6mm (2.8mm, 6mm, 12mm optional)</li> <li>» Frame Rate : PAL 1920 x 1536 @ 18fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 20m Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>

<p>VHC-4222</p>  <p>FULL HD 1080p Fixed Lens EXIR Bullet Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1928 (H) x 1088 (V)</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Frame Rate : PAL 1080p @ 25fps</li> <li>» PIR detection, ( Angle: 110°, Range:11 m )</li> <li>» IR Range : Up to 20m , Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, OSD, IP-66, Low-Light Series</li> </ul>	<p>VHC-4221</p>  <p>FULL HD 1080p Fixed Lens EXIR Bullet Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1928 (H) x 1088(V)</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Frame Rate : PAL 1080P @ 25fps</li> <li>» Star Light ,Min. Illumination: Color: 0.005 Lux</li> <li>» IR Range : Up to 40m , Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, OSD, IP-66, Low-Light Series</li> </ul>	<p>VHC-4220</p>  <p>FULL HD 1080p Fixed Lens EXIR Bullet Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1928 (H) x 1088 (V)</li> <li>» Lens : 3.6mm (2.8mm, 6mm, 12mm optional)</li> <li>» Frame Rate : PAL 1080p @ 25fps</li> <li>» Star Light ,Min. Illumination: Color: 0.005 Lux</li> <li>» IR Range : Up to 20m, Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, OSD, IP-66, Low-Light Series</li> </ul>	<p>VHC-4262</p>  <p>FULL HD 1080p Fixed Lens EXIR Eyeball Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1928 (H) x 1088 (V)</li> <li>» Lens : 3.6mm (2.8mm, 6mm, 12mm optional)</li> <li>» Frame Rate : PAL 1080p @ 25fps</li> <li>» PIR detection, ( Angle: 110°, Range:11 m )</li> <li>» IR Range : Up to 20m, Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, OSD, IP-66, Low-Light Series</li> </ul>
<p>VHC-4260</p>  <p>FULL HD 1080p Fixed Lens Eyeball Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1928 (H) x 1088 (V)</li> <li>» Lens : 3.6mm (2.8mm, 6mm, 12mm optional)</li> <li>» Frame Rate : PAL 1080p @ 25fps</li> <li>» Star Light , Low Light Series</li> <li>» IR Range : Up to 20m, Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<p>VHC-5230</p>  <p>FULL HD 1080p Vari-focal Bullet Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1984 (H) x 1105 (V)</li> <li>» Lens : 2.8-12mm @ F1.4</li> <li>» Frame Rate : PAL 1080p @ 25fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 40m</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<p>VHC-3222</p>  <p>FULL HD 1080p Fixed Lens EXIR Bullet Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1930 (H) x 1088(V)</li> <li>» Lens : 3.6mm (2.8mm,6mm,12mm optional)</li> <li>» Frame Rate : PAL 1080P @ 25fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 20m Smart IR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<p>VHC-3220</p>  <p>FULL HD 1080p Fixed Lens EXIR Bullet Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1930 (H) x 1088 (V)</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Frame Rate : PAL 1080p @ 25fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 40m Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>
<p>VHC-5270</p>  <p>FULL HD 1080p Vari-focal Eyeball Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1930(H) x 1088(V)</li> <li>» Lens : 2.8-12mm @ F1.4</li> <li>» Frame Rate : PAL 1080p @ 25 fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 40m</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<p>VHC-5260N</p>  <p>FULL HD 1080p Fixed Lens EXIR Eyeball Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1930(H) x 1088(V)</li> <li>» Lens : 3.6mm (2.8mm, 6mm, 12mm optional)</li> <li>» Frame Rate : PAL 1080p @ 25fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 20m, Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<p>VHC-3260</p>  <p>FULL HD 1080p Fixed Lens Eyeball Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1930(H) x 1088(V)</li> <li>» Lens : 3.6mm (2.8mm, 6mm, 12mm optional)</li> <li>» Frame Rate : PAL 1080p @ 25fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 20m</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<p>VHC-3240P</p>  <p>FULL HD 1080p Fixed Lens Eyeball Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1930(H) x 1088(V)</li> <li>» Lens : 3.6mm (2.8mm, 6mm, 12mm optional)</li> <li>» Frame Rate : PAL 1080p @ 25fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 20m</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD</li> </ul>
<p>VHC-3130</p>  <p>TURBO HD 720p Vari-focal Bullet Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1296 (H) x 732 (V)</li> <li>» Lens : 2.8-12mm @ F1.4</li> <li>» Frame Rate : PAL 720p @ 25fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 40m</li> <li>» 3D-DNR, ICR, BLC, EIS, IP-66</li> </ul>	<p>VHC-2120</p>  <p>TURBO HD 720p Fixed Lens Bullet Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1296 (H) x 732 (V)</li> <li>» Lens : 3.6mm (2.8mm, 6mm, 12mm optional)</li> <li>» Frame Rate : PAL 720p @ 25fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 20m</li> <li>» 3D-DNR, ICR, BLC, EIS, IP-66</li> </ul>	<p>VHC-4170</p>  <p>TURBO HD 720p Vari-focal EXIR Eyeball Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1305 (H) x 977 (V)</li> <li>» Lens : 2.8-12mm @ F1.4</li> <li>» Frame Rate : PAL 720p @ 25fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 50m Smart EXIR</li> <li>» 3D-DNR, ICR, BLC, EIS, OSD, IP-66</li> </ul>	<p>VHC-2160</p>  <p>TURBO HD 720p Fixed Lens Eyeball Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1296 (H) x 732 (V)</li> <li>» Lens : 3.6mm (2.8mm, 6mm, 12mm optional)</li> <li>» Frame Rate : PAL 720p @ 25fps</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» IR Range : Up to 20m</li> <li>» 3D-DNR, ICR, BLC, EIS, IP-66</li> </ul>
<p>VDR-3202P8/3202P4/3202P2</p>  <p>32 Channel TURBO HD DVR</p> <ul style="list-style-type: none"> <li>» Support HD-TVI/Analog &amp; IP Cameras</li> <li>» H264 Video compression</li> <li>» Support Full HD 1080p @ 12fps</li> <li>» HDMI and VGA output at up to 1920 x 1080</li> <li>» Long Transmission distance over coax cable</li> <li>» P8 : 8HDD/P4 : 4HDD/P2 : 2HDD Up to 6TB</li> </ul>	<p>VDR-1605FPlus, 805FPlus, 405FPlus</p>  <p>16 / 8 / 4 Channel TURBO HD DVR</p> <ul style="list-style-type: none"> <li>» Support TV/CVI/AHD/Analog &amp; IP Cameras</li> <li>» H265+/H265/H264+/H264 Video compression</li> <li>» Record and View 5 Megapixel Real Time</li> <li>» HDMI &amp; VGA 4K- UHD output Resolution</li> <li>» Long Transmission distance over coax cable</li> <li>» 16-Ch &amp; 8Ch : 2 HDD / 4-Ch : 1 HDD Support</li> </ul>	<p>VDR-1602APlus, 802APlus, 402APlus</p>  <p>16 / 8 / 4 Channel TURBO HD DVR</p> <ul style="list-style-type: none"> <li>» Support TV/CVI/AHD/Analog &amp; IP Cameras</li> <li>» H265+/H265/H264+/H264 Video compression</li> <li>» Record and View 2 Megapixel Real Time</li> <li>» Support Audio Full Channel</li> <li>» Long Transmission distance over coax cable</li> <li>» 16-Ch &amp; 8Ch : 2 HDD / 4-Ch : 1 HDD Support</li> </ul>	<p>VDR-1601 L, 801 L, 401 L</p>  <p>16 / 8 / 4 Channel TURBO HD DVR</p> <ul style="list-style-type: none"> <li>» Support TV/CVI/AHD/Analog &amp; IP Cameras</li> <li>» H264+ / H264 Video compression</li> <li>» Support 1080 Lite Real Time</li> <li>» HDMI and VGA output at up to 1920 x 1080</li> <li>» Long Transmission distance over coax cable</li> <li>» 1 SATA interface Up to 6 TB HDD</li> </ul>

<p>VNC-6280</p>  <p>16MP 360° Panoramic + PTZ Camera</p> <ul style="list-style-type: none"> <li>» 1/1.9" Progressive Scan CMOS</li> <li>» 360° view angle</li> <li>» Max. Resolution : 2 x 4096 x 1800@30fps</li> <li>» 36X Optical / 16X Digital Zoom</li> <li>» IP-66 Standard, Onvif, SD Card</li> <li>» 3D-DNR, ICR, Defog, BLC, EIS, WDR</li> </ul>	<p>VNC-5880</p>  <p>8MP Network IR PTZ Dome Camera</p> <ul style="list-style-type: none"> <li>» 8MP 1/3" Progressive Scan CMOS</li> <li>» Lens : 5.7 - 205mm, Zoom : 36x</li> <li>» Max. Resolution : 4096 x 2160</li> <li>» IR Range : Up to 200m, (5880L : Up to 500m)</li> <li>» IIP-66 Standard, Onvif, Hi-PoE, SD Card</li> <li>» 3D-DNR, ICR, Defog, BLC, EIS, DWDR, Wiper</li> </ul>	<p>VNC-4285N</p>  <p>2MP Network IR PTZ Dome Camera</p> <ul style="list-style-type: none"> <li>» 2MP 1/3" Progressive Scan CMOS</li> <li>» Lens : 4.3 - 129mm, Zoom : 30x</li> <li>» Max. Resolution : 1920 x 1080</li> <li>» IR Range : Up to 150 m</li> <li>» Compression : H265+ , Onvif, IP-66 Standard</li> <li>» 3D-DNR, ICR, Defog, DWDR, Hi-PoE, SD Card</li> </ul>	<p>VNC-2281N</p>  <p>2MP Network IR PTZ Dome Camera</p> <ul style="list-style-type: none"> <li>» 2MP 1/3" Progressive Scan CMOS</li> <li>» Lens : 4.7 - 94mm, Zoom : 20x</li> <li>» Max. Resolution : 1920 x 1080</li> <li>» IR Range : Up to 150 m</li> <li>» Compression : H265+ , Onvif, IP-66 Standard</li> <li>» 3D-DNR, ICR, Defog, DWDR, Hi-PoE, SD Card</li> </ul>
<p>VNC-5810</p>  <p>8MP Day &amp; Night Smart Box Camera</p> <ul style="list-style-type: none"> <li>» 8MP 1/3" Progressive Scan CMOS</li> <li>» Frame Rate : 4096 x 2160 (@ 22Fps)</li> <li>» Min Illumination : 0.009 Lux</li> <li>» Digital Wide Dynamic Range ( DWDR )</li> <li>» Support SD/SDXC Card UP To 128 GB</li> <li>» H264+, 3D-DNR, BLC, OSD, Smart Series</li> </ul>	<p>VNC-5831</p>  <p>8MP Motorize V/F Smart Bullet Camera</p> <ul style="list-style-type: none"> <li>» 8MP 1/3" Progressive Scan CMOS</li> <li>» Lens : Full Motorize 2.8-12mm</li> <li>» Frame Rate : 4096 x 2160 (@ 22Fps)</li> <li>» Wide Dynamic Range ( WDR )</li> <li>» IR Range : Up to 150m Smart EXIR</li> <li>» H265+, 3D-DNR, BLC, OSD, IP-66, Smart Series</li> </ul>	<p>VNC-5826</p>  <p>8MP Fixed Lens EXIR Smart Bullet Camera</p> <ul style="list-style-type: none"> <li>» 8MP 1/3" Progressive Scan CMOS</li> <li>» Lens : 2.8mm (4mm, 6mm, 8mm optional)</li> <li>» Frame Rate : 4096 x 2160 (@ 22Fps)</li> <li>» Wide Dynamic Range ( WDR )</li> <li>» IR Range : Up to 80m Smart EXIR</li> <li>» H265+, 3D-DNR, BLC, OSD, IP-66, Smart Series</li> </ul>	<p>VNC-5870</p>  <p>8MP Vari-focal IR Smart Dome Camera</p> <ul style="list-style-type: none"> <li>» 8MP 1/3" Progressive Scan CMOS</li> <li>» Lens : 2.8-12mm (@ F1.4)</li> <li>» Frame Rate : 4096 x 2160 (@ 22Fps)</li> <li>» Wide Dynamic Range ( WDR )</li> <li>» IR Range : Up to 40m Smart IR</li> <li>» H265+, 3D-DNR, BLC, OSD, IP-66, Smart Series</li> </ul>
<p>VNC-5535N</p>  <p>5MP Motorize V/F EXIR Smart Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" Progressive Scan CMOS</li> <li>» Lens : 2.8-12mm (@ F1.4)</li> <li>» Max. Resolution : 2560 x 1920</li> <li>» Wide Dynamic Range ( WDR )</li> <li>» IR Range : Up to 50m Smart EXIR</li> <li>» H265+, 3D-DNR, BLC, OSD, IP-66, Smart Series</li> </ul>	<p>VNC-5525N</p>  <p>5MP Fixed Lens EXIR Smart Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" Progressive Scan CMOS</li> <li>» Lens : 2.8mm (4mm, 6mm, 8mm optional)</li> <li>» Max. Resolution : 2560 x 1920</li> <li>» Wide Dynamic Range ( WDR )</li> <li>» IR Range : Up to 50m Smart EXIR</li> <li>» H265+, 3D-DNR, BLC, OSD, IP-66, Smart Series</li> </ul>	<p>VNC-5575N</p>  <p>5MP Motorize V/F EXIR Smart Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/3" Progressive Scan CMOS</li> <li>» Lens : 2.8-12mm (@ F1.4)</li> <li>» Max. Resolution : 2560 x 1920</li> <li>» Wide Dynamic Range ( WDR )</li> <li>» IR Range : Up to 50m Smart EXIR</li> <li>» H265+, 3D-DNR, BLC, OSD, IP-66, Smart Series</li> </ul>	<p>VNC-5565</p>  <p>5MP Fixed Lens EXIR Smart Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/3" Progressive Scan CMOS</li> <li>» Lens : 2.8mm (4mm, 6mm, 8mm optional)</li> <li>» Max. Resolution : 2560 x 1920</li> <li>» Wide Dynamic Range ( WDR )</li> <li>» IR Range : Up to 30m Smart EXIR</li> <li>» H265+, 3D-DNR, BLC, OSD, IP-66, Smart Series</li> </ul>
<p>VNC-4430</p>  <p>4MP Vari-Focal IR Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 2.8-12mm (@ F1.4)</li> <li>» Max. Resolution : 2688 x 1520</li> <li>» IR Range : Up to 30m Smart IR</li> <li>» IP-66 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, WDR, Pro Series</li> </ul>	<p>VNC-2431</p>  <p>4MP Vari-Focal IR Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 2.8-12mm (@ F1.4)</li> <li>» Max. Resolution : 2688 x 1520</li> <li>» IR Range : Up to 30m Smart IR</li> <li>» IP-67 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, WDR, Eco Series</li> </ul>	<p>VNC-4423</p>  <p>4MP Fixed Lens EXIR Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Max. Resolution : 2688 x 1520</li> <li>» IR Range : Up to 50m Smart EXIR</li> <li>» IP-66 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, WDR, Pro Series</li> </ul>	<p>VNC-2421</p>  <p>4MP Fixed Lens EXIR Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Max. Resolution : 2688 x 1520</li> <li>» IR Range : Up to 30m Smart EXIR</li> <li>» IP-67 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, DWDR, Eco Series</li> </ul>
<p>VNC-2471</p>  <p>4MP Vari-Focal IR Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 2.8-12mm (@ F1.4)</li> <li>» Max. Resolution : 2688 x 1520</li> <li>» IR Range : Up to 30m Smart IR</li> <li>» IP-67 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, WDR, Eco Series</li> </ul>	<p>VNC-2461</p>  <p>4MP Fixed Lens IR Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Max. Resolution : 2688 x 1520</li> <li>» IR Range : Up to 30m Smart EXIR</li> <li>» IP-67 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, DWDR, Eco Series</li> </ul>	<p>VNC-4460</p>  <p>4MP Fixed Lens Mini Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 4mm (2.8mm, 6mm, 12mm optional)</li> <li>» Max. Resolution : 2688 x 1520</li> <li>» IR Range : Up to 10m Smart IR</li> <li>» IP-66 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, BLC, WDR, EIS, Defog, Pro Series</li> </ul>	<p>VNC-1490</p>  <p>4MP CMOS Alarm Cube Camera</p> <ul style="list-style-type: none"> <li>» 1/2.8" Progressive Scan CMOS</li> <li>» Lens : 4mm (2.8mm, 6mm, 12mm optional)</li> <li>» Max. Resolution : 1688 x 1520</li> <li>» IR Range : Up to 10m</li> <li>» Onvif, PoE, SD Card, 2-way Audio, Wi-Fi (optional)</li> <li>» 3D-DNR, DEFOG, BLC, EIS, DWDR, Home Series</li> </ul>

<p>VNC-5310</p>  <p>3MP Day &amp; Night Smart Box Camera</p> <ul style="list-style-type: none"> <li>» 1/1.8" Progressive Scan CMOS</li> <li>» Lens : C/CS mount Support</li> <li>» Min. Illumination : 0.1 lux (@ F1.2)</li> <li>» Max. Resolution : 2048 x 1536</li> <li>» Wide Dynamic Range ( WDR )</li> <li>» Onvif, 3D-DNR, Defog, BLC, EIS, SD Card</li> </ul>	<p>VNC-4330</p>  <p>3MP Vari-Focal IR Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 2.8-12mm @ F1.4</li> <li>» Max. Resolution : 2048 x 1536</li> <li>» IR Range : Up to 30m Smart IR</li> <li>» IP-66 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, DWDR, Pro Series</li> </ul>	<p>VNC-4370</p>  <p>3MP Vari-Focal IR Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 2.8-12mm @ F1.4</li> <li>» Max. Resolution : 2048 x 1536</li> <li>» IR Range : Up to 30m Smart IR</li> <li>» IP-66 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, DWDR, Pro Series</li> </ul>	<p>VNC-2331</p>  <p>3MP Vari-Focal IR Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 2.8-12mm @ F1.4</li> <li>» Max. Resolution : 2048 x 1536</li> <li>» IR Range : Up to 30m Smart IR</li> <li>» IP-67 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, WDR, Eco Series</li> </ul>
<p>VNC-2321</p>  <p>3MP Fixed Lens EXIR Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Max. Resolution : 2048 x 1536</li> <li>» IR Range : Up to 30m Smart EXIR</li> <li>» IP-67 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, DWDR, Eco Series</li> </ul>	<p>VNC-2371</p>  <p>3MP Vari-Focal IR Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 2.8-12mm @ F1.4</li> <li>» Max. Resolution : 2048 x 1536</li> <li>» IR Range : Up to 30m Smart IR</li> <li>» IP-67 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, WDR, Eco Series</li> </ul>	<p>VNC-2361</p>  <p>3MP Fixed Lens IR Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Max. Resolution : 2048 x 1536</li> <li>» IR Range : Up to 30m Smart EXIR</li> <li>» IP-67 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, DWDR, Eco Series</li> </ul>	<p>VNC-4360</p>  <p>3MP Fixed Lens Mini Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 4mm (2.8mm, 6mm, 12mm optional)</li> <li>» Max. Resolution : 2048 x 1536</li> <li>» IR Range : Up to 10m</li> <li>» IP-66 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, DWDR, Pro Series</li> </ul>
<p>VNC-5230</p>  <p>2MP Vari-Focal Smart Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 2.8-12mm @ F1.4</li> <li>» Max. Resolution : 1920 x 1080</li> <li>» IR Range : Up to 30m / Dark Fighter</li> <li>» IP-66 Standard, Onvif, PoE, SD Card, WDR</li> <li>» 3D-DNR, BLC, EIS, Defog, Smart Series</li> </ul>	<p>VNC-5225N</p>  <p>2MP Fixed Lens Smart Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Max. Resolution : 1920 x 1080</li> <li>» IR Range : Up to 30m / Low Light</li> <li>» IP-66 Standard, Onvif, PoE, SD Card, WDR</li> <li>» H265+, 3D-DNR, BLC, EIS, Defog, Smart Series</li> </ul>	<p>VNC-5265</p>  <p>2MP Fixed Lens Smart Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Max. Resolution : 1920 x 1080</li> <li>» IR Range : Up to 30m / Low Light</li> <li>» IP-66 Standard, Onvif, PoE, SD Card, WDR</li> <li>» H265+, 3D-DNR, BLC, EIS, Defog, Smart Series</li> </ul>	<p>VNC-2230</p>  <p>2MP Vari-Focal Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 2.8-12mm @ F1.4</li> <li>» Max. Resolution : 1920 x 1080</li> <li>» IR Range : Up to 30m</li> <li>» IP-66 Standard, Onvif, PoE, SD Card, DWDR</li> <li>» 3D-DNR, BLC, EIS, Defog, Eco Series</li> </ul>
<p>VNC-2221</p>  <p>2MP Fixed Lens EXIR Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Max. Resolution : 1920 x 1080</li> <li>» IR Range : Up to 30m Smart EXIR</li> <li>» IP-67 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, DWDR, Eco Series</li> </ul>	<p>VNC-2261</p>  <p>2MP Fixed Lens IR Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 3.6mm (6mm, 8mm, 12mm optional)</li> <li>» Max. Resolution : 1920 x 1080</li> <li>» IR Range : Up to 30m Smart EXIR</li> <li>» IP-67 Standard, Onvif, PoE, SD Card</li> <li>» 3D-DNR, DEFOG, BLC, EIS, DWDR, Eco Series</li> </ul>	<p>VNC-2220</p>  <p>2MP Fixed Lens IR Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 4mm (2.8mm, 6mm, 12mm optional)</li> <li>» Max. Resolution : 1920 x 1080</li> <li>» IR Range : Up to 30m</li> <li>» IP-66 Standard, Onvif, PoE, SD Card, DWDR</li> <li>» 3D-DNR, BLC, EIS, Defog, Eco Series</li> </ul>	<p>VNC-2260</p>  <p>2MP Fixed Lens IR Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/3" progressive scan CMOS</li> <li>» Lens : 4mm (2.8mm, 6mm, 12mm optional)</li> <li>» Max. Resolution : 1920 x 1080</li> <li>» IR Range : Up to 30m</li> <li>» IP-66 Standard, Onvif, PoE, SD Card, DWDR</li> <li>» 3D-DNR, BLC, EIS, Defog, Eco Series</li> </ul>
<p>VNC-6640S</p>  <p>6MP Compact Fisheye Network Camera</p> <ul style="list-style-type: none"> <li>» 6 MP 1/3" Progressive Scan CMOS</li> <li>» Lens : 1.27mm @ F2.8, angle of view: 360°</li> <li>» Max. Resolution : 3072 x 2048</li> <li>» IR Range : Up to 15 m</li> <li>» Built-in microphone and speaker, Onvif, PoE</li> <li>» 3D-DNR, ICR, Defog, BLC, EIS, WDR, SD Card</li> </ul>	<p>VNC-6860</p>  <p>Multi-Sensor Panoramic Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/1.8" Progressive Scan CMOS</li> <li>» 180°Horizontal View</li> <li>» Lens : 4 x 5mm fixed lens</li> <li>» Max. Resolution : 7.3MP Resolution 4096x1800</li> <li>» IP-66, Onvif, PoE, SD Card, Ultra-low light</li> <li>» 3D-DNR, ICR, Defog, BLC, EIS, DWDR</li> </ul>	<p>VNC-6160</p>  <p>Stereo Desktop Network Camera</p> <ul style="list-style-type: none"> <li>» 1/3" Progressive Scan CMOS</li> <li>» Double lenses, double channel videos</li> <li>» Lens : 2.0mm/2.8mm/4mm optional</li> <li>» Max. Resolution : 1280 x 960</li> <li>» P IN P, Onvif, PoE, SD Card, Built-in Mic</li> <li>» 3D-DNR, ICR, Defog, BLC, EIS, WDR</li> </ul>	<p>VNC-4190</p>  <p>1 MP WDR Pinhole Network Camera</p> <ul style="list-style-type: none"> <li>» 1 Megapixel (1280 x 720) Resolution</li> <li>» HD720p Real-time video</li> <li>» True Wide Dynamic Range</li> <li>» Max. Resolution : 1280 x 720</li> <li>» Lens : 3.6mm @ F1.2 fixed lens</li> <li>» 3D Digital Noise Reduction, Pro Series</li> </ul>


<p>VNC-6285</p>  <p>2MP Anti-Corrosion Network PTZ Camera</p> <ul style="list-style-type: none"> <li>» 2MP 1/3" Progressive Scan CMOS</li> <li>» W/F2, C5-M, NEMA 4X Anti-corrosion Standard</li> <li>» Lens : 59 - 135.7mm, Zoom : 23x</li> <li>» Max. Resolution : 1920 X 1080</li> <li>» IP-67 Standard, Onvif, Hi-PoE, SD Card</li> <li>» 3D-DNR, ICR, BLC, EIS, WDR, Special series</li> </ul>	<p>VNC-6230</p>  <p>2MP Anti-Corrosion Network IR Bullet Camera</p> <ul style="list-style-type: none"> <li>» 1/3" Progressive Scan CMOS(1920 x1080x60Fps)</li> <li>» 316L stainless steel, NEMA 4X, C5-M Certification</li> <li>» Lens : Vari-Focal II-40mm</li> <li>» IR Range : Up to 120m</li> <li>» IP-67 Standard,Onvif,PoE/SD Card,Ultra-low Light</li> <li>» 3D-DNR, ICR, Defog, Wiper, WDR, Special Series</li> </ul>	<p>VNC-6270</p>  <p>2MP Anti-Corrosion Network IR Dome Camera</p> <ul style="list-style-type: none"> <li>» 1/3" Progressive Scan CMOS(1920x1080x60Fps)</li> <li>» 316L Stainless Steel, NEMA 4X, C5-M Certification</li> <li>» Lens : Motorize 28-12mm</li> <li>» IR Range : Up to 40m</li> <li>» IP-67 Standard,Onvif,PoE/SD Card,Ultra-low Light</li> <li>» 3D-DNR, ICR, Defog,BLC,EIS,WDR, Special Series</li> </ul>	<p>VNC-6288</p>  <p>Thermal+Optical Bi-spectrum Network Speed Dome</p> <ul style="list-style-type: none"> <li>» 384 x 288 Resolution,high sensitivity sensor</li> <li>» 360° endless pan range and -15°-90° tilt range</li> <li>» Smart Detection(Intrusion Detection,Line Crossing</li> <li>» Region Entrance Detection,Region Exiting Detection</li> <li>» High-performance IR array,up to 150m IR distance</li> <li>» Visible Light Module Function</li> </ul>
<p>VNC-6210</p>  <p>2MP Intelligent ITS Camera</p> <ul style="list-style-type: none"> <li>» TI Davinici High Performance DSP</li> <li>» Adopt High Performance CCD Image Sensor</li> <li>» Rs232 SerialPort, 3Radar Serial</li> <li>» Vehicle Inspection/Signal Detector Port</li> <li>» 10/100/1000 M Ethernet Port</li> <li>» IP-67 Standard, Onvif, PoE, SD Card</li> </ul>	<p>VNC-6226</p>  <p>2MP ANPR Visible Light Motorize Bullet Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1920 (H) x 1080 (V)</li> <li>» Lens : 2.8 - 12mm @ F1.4</li> <li>» Frame Rate : PAL 1080p @ 50fps</li> <li>» White light range up to 50m</li> <li>» IP-66 Standard, Onvif, SD Card, POE, EXIR IR</li> <li>» Ture WDR, 3D-DNR, ICR, BLC, EIS, SMART</li> </ul>	<p>VNC-6225</p>  <p>2MP ANPR IR Light Motorize Bullet Camera</p> <ul style="list-style-type: none"> <li>» Effective Pixels : 1920 (H) x 1080 (V)</li> <li>» Lens : 2.8 - 12mm @ F1.4</li> <li>» Frame Rate : PAL 1080p @ 50fps</li> <li>» White light range up to 50m</li> <li>» IP-66 Standard, Onvif, SD Card, POE, EXIR IR</li> <li>» Ture WDR, 3D-DNR, ICR, BLC, EIS, SMART</li> </ul>	<p>VNC-6220</p>  <p>Thermal+Optical Bi-spectrum Bullet Camera</p> <ul style="list-style-type: none"> <li>» 384 x 288 Resolution,high sensitivity sensor</li> <li>» Smart Detection(Intrusion Detection,Line Crossing</li> <li>» Region Entrance Detection,Region Exiting Detection</li> <li>» High-performance IR array,up to 120m IR distance</li> <li>» Smart Recording: Support Edge Recording</li> <li>» Visible Light Module Function</li> </ul>
<p>VPS-24100, 16100, 8100, 4100</p>  <p>24 / 16 / 8 / 4 Ports Unmanaged PoE Switch</p> <ul style="list-style-type: none"> <li>» IEEE 802.3at and IEEE 802.3af PoE compliant</li> <li>» 24/16/8/4x10/100Mbps Auto-MDIX PoE ports</li> <li>» Provides up to 30 watts per PoE port</li> <li>» Support Fiber Optic Module ( 26/16 Port)</li> <li>» IEEE 802.3x flow control support</li> <li>» Plug-and-play installation</li> </ul>	<p>VHN-K130</p>  <p>Network Keyboard Control</p> <ul style="list-style-type: none"> <li>» 7" TFT Touch screen LCD</li> <li>» Speed Dome,Video decoder,DVR &amp; NVR Control</li> <li>» 1 Channel HD Video stream decoder</li> <li>» Support 15 users &amp; operate up to 256 devices</li> <li>» USB 2.0 interface for video backup</li> <li>» Multi protocol : Vertina, Vicon, Panasonic ...</li> </ul>	<p>VCU-I200</p>  <p>Keyboard Control</p> <ul style="list-style-type: none"> <li>» 3 Axis joystick control</li> <li>» Control up to 255 PTZ camera</li> <li>» RS-485 and RS-422 compatibility</li> <li>» Baud rate : 1200 - 19200 bps</li> <li>» Maximum cable length 1200 m</li> <li>» Multi protocol : Vertina, Vicon, Panasonic ...</li> </ul>	<p>VCN-6</p>  <p>UTP CAT 6 Network Cable</p> <ul style="list-style-type: none"> <li>» U/UTP CAT6-4P-PVC-CM</li> <li>» ISO/IEC11801, TIA-568-C2, YD/T1019</li> <li>» Material: SOLID-Bare Copper</li> <li>» Nom.O.D.(mm) : 0.565/up+0.005/down-0.005</li> <li>» Diameter : 1.02±0.03mm</li> <li>» Packing length 305±1.5 Meter</li> </ul>
<p>VNR-6412P16 , VNR-3212P16</p>  <p>64 / 32 Channel 4K Dual OS NVR</p> <ul style="list-style-type: none"> <li>» 4K Resolution H265/H264+/H264 Supported</li> <li>» 320 Mbps Incoming bandwidth</li> <li>» Connected to 12 MP Resolution Camera</li> <li>» Support RAID0,RAID1,RAID5 &amp; RAID10 storage</li> <li>» HDMI and VGA output at up to 3840 x 2160</li> <li>» 16 x 6TB HDD SATA Support</li> </ul>	<p>VNR-3212P4 , VNR-1612P4</p>  <p>64 / 32 Channel 4K Dual OS NVR</p> <ul style="list-style-type: none"> <li>» 4K Resolution H265/H264+/H264 Supported</li> <li>» 320 Mbps Incoming bandwidth</li> <li>» Connected to 12 MP Resolution Camera</li> <li>» Dual-OS design to ensure high reliability</li> <li>» HDMI and VGA output at up to 3840 x 2160</li> <li>» 4 x 6TB HDD SATA Support</li> </ul>	<p>VNR-3208,VNR-1608,VNR-808,VNR-408</p>  <p>32 / 16 / 8 / 4 Channel 4K Dual OS NVR</p> <ul style="list-style-type: none"> <li>» 4K Resolution H265/H264+/H264 Supported</li> <li>» 160 Mbps Incoming bandwidth</li> <li>» Connected to 8 MP Resolution Camera</li> <li>» Dual-OS design to ensure high reliability</li> <li>» HDMI and VGA output at up to 3840 x 2160</li> <li>» 2 x 6TB HDD SATA Support</li> </ul>	<p>SERVER STATION</p>  <p>32 Channel Connected Camera</p> <ul style="list-style-type: none"> <li>» Central management system</li> <li>» Decoding performance 2*4K / 9 * 1080p</li> <li>» Windows Embedded System &amp; Supports GPU hardware decoding to save CPU resources</li> <li>» Storage 4 HDDs connectable</li> <li>» Third-party product integration via ONVIF</li> </ul>
<p>VNR-1605P , VNR-805P , VNR-405P</p>  <p>16 / 8 / 4 Channel Embedded PoE NVR</p> <ul style="list-style-type: none"> <li>» Connected to 5 MP Resolution Camera</li> <li>» H264+/H264/MPEG4 video formats</li> <li>» 200 / 100 / 80 Mbps Incoming bandwidth</li> <li>» Plug &amp; Play with 16 / 8 / 4 independent PoE</li> <li>» HDMI and VGA output at up to 1920 x 1080</li> <li>» 2 X 6TB HDD SATA Support</li> </ul>	<p>VNR-1605E , VNR-805E , VNR-405E</p>  <p>16 / 8 / 4 Channel Embedded Switch NVR</p> <ul style="list-style-type: none"> <li>» Connected to 5 MP Resolution Camera</li> <li>» H264+/H264/MPEG4 video formats</li> <li>» 200 / 100 / 80 Mbps Incoming bandwidth</li> <li>» Plug &amp; Play with 16 / 8 / 4 independent</li> <li>» HDMI and VGA output at up to 1920 x 1080</li> <li>» 2 X 6TB HDD SATA Support</li> </ul>	<p>VNR-1605 , VNR-805 , VNR-405</p>  <p>16 / 8 / 4 Channel Embedded NVR</p> <ul style="list-style-type: none"> <li>» Connected to 5 MP Resolution Camera</li> <li>» H264+/H264/MPEG4 video formats</li> <li>» 200 / 100 / 80 Mbps Incoming bandwidth</li> <li>» Plug &amp; Play with 16 / 8 / 4 independent</li> <li>» HDMI and VGA output at up to 1920 x 1080</li> <li>» 2 X 6TB HDD SATA Support</li> </ul>	<p>VNR-802P , VNR-402P</p>  <p>8 / 4 Channel Mobile NVR</p> <ul style="list-style-type: none"> <li>» Connected to 2MP Resolution Camera</li> <li>» Pluggable GPS (Global Positioning System)</li> <li>» 8 / 4 independent PoE network interfaces</li> <li>» Two pluggable 2.5-inch HDDs /SSDs</li> <li>» Adopting hard disk vibration damping technology</li> <li>» Wi-Fi &amp; 3G dialing function (optional)</li> </ul>

## HD-TVI PLATFORM & NUMBERING RULE

### PLATFORM SOLUTION




### NUMBERING RULE




## NETWORK PLATFORM & NUMBERING RULE

### PLATFORM SOLUTION



### NUMBERING RULE





add business card



[www.vertina.com](http://www.vertina.com)   [info@vertina.com](mailto:info@vertina.com)

Design and specifications are subjects to change without notice.  
VERTINA will reserved the rights to change the products design without notice.